MAPELEVEL EASY T

Reusable levelling system for ceramic and stone tiles on floors and walls





BENEFITS AND FEATURES

- Easy to use
- Accurate levelling
- For adjustment works
- Fully reusable system
- Special adjustment tool included with every pack

TYPICAL AREAS OF USE

MapeLevel Easy T is a reusable levelling system, particularly useful to make adjustments when installing tiles. When used in combination with traditional levelling systems (in addition to or in place of existing elements), it allows to eliminate residual lippage without having to lift the tiles.

MapeLevel Easy T may be used to level off ceramic and stone floor and wall tiles up to 17 mm thick and with grout joints 1.5 to 6 mm wide. When used as a stand-alone system **MapeLevel Easy T** is suitable for 1.5 mm wide grout joints only; for wider grout joints it must be used in combination with the spacers **Mapei Tile Spacer**.

TECHNICAL CHARACTERISTICS

The system consists of a **MapeLevel Easy T** levelling element with a special adjustment tool included with every pack. **MapeLevel Easy T** consists of an element in PE complete with a levelling dial and a T-shaped pin which, when rotated 90°, anchors perfectly to the back of the tiles.
Once tiles have been installed and levelled off, and before filling the grout joints, the levelling element may be completely removed and used again.

Advantages

- Easy to apply.
- Accurate levelling: when used as a stand-alone system or in combination with **MapeLevel** systems or **Mapei Tile Spacer**, it easily removes any imperfection to leave a perfectly flat floor.
- For quick tile adjustments: **MapeLevel Easy T** is inserted directly into the grout joint from above so that localised lippage can be eliminated without having to lift tiles that have already been installed, thus reducing the overall installation time.

MAPEI

- Fully reusable system: once tiles have been installed, prior to grouting, **MapeLevel Easy T** may be removed from the grout joint by extracting it with a simple rotary movement and then used again to install other tiles.
- Adjustment tool included with every pack.

APPLICATION METHOD

Before installing tiles make sure the system is compatible with the surface of the chosen type of tile. Make sure the surface of the tiles is perfectly clean and that there are no traces of adhesive or abrasive material before using **MapeLevel Easy T**.

Positioning the levelling element


While the adhesive is still fresh, insert **MapeLevel Easy T** into the grout joint from above.

Rotate the pin 90° so that it anchors against the lower part of the tile.

Rotate the black dial by hand until it sits against the surface of the tile. Tighten it in position with the special tool until the tiles are levelled off.





Removing the element

Before grouting the tiles, slacken the black dial and rotate the pin 90° to remove the levelling element from the grout joint.

Carefully clean the levelling element so it may be used again. **MapeLevel Easy T** levelling elements are completely reusable.





CONSUMPTION

Depending on the layout of the tiles and whether it is used as a stand-alone system or in combination with traditional systems.

PACKAGING

Box containing 10 bags of 50 pieces each.

SAFETY INSTRUCTIONS FOR PREPARATION AND APPLICATION

MapeLevel Easy T is an article and referring to the current European regulations (Reg. 1907/2006/CE - REACH) does not require the preparation of the Safety Data Sheet. During use, it is recommended to wear gloves and goggles and follow the safety requirements of the workplace.

PRODUCT FOR PROFESSIONAL USE.

WARNING

Although the technical details and recommendations contained in this product data sheet correspond to the best of our knowledge and experience, all the above information must, in every case, be taken as merely indicative and subject to confirmation after long-term practical application; for this reason, anyone who intends to use the product must ensure beforehand that it is suitable for the envisaged application. In every case, the user alone is fully responsible for any consequences deriving from the use of the product.

Please refer to the current version of the Technical Data Sheet, available from our website www.mapei.com

LEGAL NOTICE

The contents of this Technical Data Sheet ("TDS") may be copied into another project-related document, but the resulting document shall not supplement or replace requirements per the TDS in force at the time of the MAPEI product installation.

The most up-to-date TDS can be downloaded from our website www.mapei.com.

ANY ALTERATION TO THE WORDING OR REQUIREMENTS CONTAINED OR DERIVED FROM THIS TDS EXCLUDES THE RESPONSIBILITY OF MAPEI.

Mapei S.p.A.

Via Cafiero, 22, 20158, Milano

+39-02-376731 www.mapei.com mapei@mapei.it

00177-09-2023-gb

Any reproduction of texts, photos and illustrations published here is prohibited and subject to prosecution